

FEVAR RVU Calculator: Input current RVU values into row 99 and 100 below

CPT	LONG DESCRIPTOR	2020 Work RVU	Multiple Procedure Payment Adj Applied, If appropriate	2020 Total Facility RVU	Multiple Procedure Payment Adj Applied, If appropriate
34841	<i>Endovascular repair of visceral aorta (eg, aneurysm, pseudoaneurysm, dissection, penetrating ulcer, intramural hematoma, or traumatic disruption) by deployment of a fenestrated visceral aortic endograft and all associated radiological supervision and interpretation, including target zone angioplasty, when performed; including one visceral artery endoprosthesis (superior mesenteric, celiac or renal artery)</i>				
Blend	Visceral segment (34710 & 33886)	16.55	16.55	25.53	25.53
Blend	Blend of TEVAR S&I (75959/2)	1.75	1.75	2.45	2.45
36245	Selective catheter placement, arterial system; each first order abdominal, pelvic, or lower extremity artery branch, within a vascular family	4.65	2.33	6.89	3.45
37236	Transcatheter placement of an intravascular stent(s) (except lower extremity, cervical carotid, extracranial vertebral or intrathoracic carotid, intracranial, or coronary), open or percutaneous, including radiological supervision and interpretation and including all angioplasty within the same vessel, when performed; initial artery	8.75	4.38	12.93	6.47
TOTAL			25.00		37.89

34842	<i>Endovascular repair of visceral aorta (eg, aneurysm, pseudoaneurysm, dissection, penetrating ulcer, intramural hematoma, or traumatic disruption) by deployment of a fenestrated visceral aortic endograft and all associated radiological supervision and interpretation, including target zone angioplasty, when performed; including two visceral artery endoprostheses (superior mesenteric, celiac or renal artery)</i>				
Blend	Visceral segment (34710 & 33886)	16.55	16.55	25.53	25.53
Blend	Blend of TEVAR S&I (75959/2)	1.75	1.75	2.45	2.45
36245	Selective catheter placement, arterial system; each first order abdominal, pelvic, or lower extremity artery branch, within a vascular family	4.65	2.33	6.89	3.45
36245	Selective catheter placement, arterial system; each first order abdominal, pelvic, or lower extremity artery branch, within a vascular family	4.65	2.33	6.89	3.45
37236	Transcatheter placement of an intravascular stent(s) (except lower extremity, cervical carotid, extracranial vertebral or intrathoracic carotid, intracranial, or coronary), open or percutaneous, including radiological supervision and interpretation and including all angioplasty within the same vessel, when performed; initial artery	8.75	4.38	12.93	6.47
37237	Transcatheter placement of an intravascular stent(s) (except lower extremity, cervical carotid, extracranial vertebral or intrathoracic carotid, intracranial, or coronary), open or percutaneous, including radiological supervision and interpretation and including all angioplasty within the same vessel, when performed; each additional artery (List separately in addition to code for primary procedure)	4.25	4.25	6.18	6.18
TOTAL			31.58		47.51

34843 <i>Endovascular repair of visceral aorta (eg, aneurysm, pseudoaneurysm, dissection, penetrating ulcer, intramural hematoma, or traumatic disruption) by deployment of a fenestrated visceral aortic endograft and all associated radiological supervision and interpretation, including target zone angioplasty, when performed; including three visceral artery endoprostheses (superior mesenteric, celiac or renal artery)</i>					
Blend	Visceral segment (34710 & 33886)	16.55	16.55	25.53	25.53
Blend	Blend of TEVAR S&I (75959/2)	1.75	1.75	2.45	2.45
36245	Selective catheter placement, arterial system; each first order abdominal, pelvic, or lower extremity artery branch, within a vascular family	4.65	2.33	6.89	3.45
36245	Selective catheter placement, arterial system; each first order abdominal, pelvic, or lower extremity artery branch, within a vascular family	4.65	2.33	6.89	3.45
36245	Selective catheter placement, arterial system; each first order abdominal, pelvic, or lower extremity artery branch, within a vascular family	4.65	2.33	6.89	3.45
37236	Transcatheter placement of an intravascular stent(s) (except lower extremity, cervical carotid, extracranial vertebral or intrathoracic carotid, intracranial, or coronary), open or percutaneous, including radiological supervision and interpretation and including all angioplasty within the same vessel, when performed; initial artery	8.75	4.38	12.93	6.47
37237	Transcatheter placement of an intravascular stent(s) (except lower extremity, cervical carotid, extracranial vertebral or intrathoracic carotid, intracranial, or coronary), open or percutaneous, including radiological supervision and interpretation and including all angioplasty within the same vessel, when performed; each additional artery (List separately in addition to code for primary procedure)	4.25	4.25	6.18	6.18
37237	Transcatheter placement of an intravascular stent(s) (except lower extremity, cervical carotid, extracranial vertebral or intrathoracic carotid, intracranial, or coronary), open or percutaneous, including radiological supervision and interpretation and including all angioplasty within the same vessel, when performed; each additional artery (List separately in addition to code for primary procedure)	4.25	4.25	6.18	6.18
TOTAL		38.15		57.14	

34844 <i>Endovascular repair of visceral aorta (eg, aneurysm, pseudoaneurysm, dissection, penetrating ulcer, intramural hematoma, or traumatic disruption) by deployment of a fenestrated visceral aortic endograft and all associated radiological supervision and interpretation, including target zone angioplasty, when performed; including four or more visceral artery endoprostheses (superior mesenteric, celiac or renal artery)</i>					
Blend	Visceral segment (34710 & 33886)	16.55	16.55	25.53	25.53
Blend	Blend of TEVAR S&I (75959/2)	1.75	1.75	2.45	2.45
36245	Selective catheter placement, arterial system; each first order abdominal, pelvic, or lower extremity artery branch, within a vascular family	4.65	2.33	6.89	3.45
36245	Selective catheter placement, arterial system; each first order abdominal, pelvic, or lower extremity artery branch, within a vascular family	4.65	2.33	6.89	3.45
36245	Selective catheter placement, arterial system; each first order abdominal, pelvic, or lower extremity artery branch, within a vascular family	4.65	2.33	6.89	3.45

36245	Selective catheter placement, arterial system; each first order abdominal, pelvic, or lower extremity artery branch, within a vascular family	4.65	2.33	6.89	3.45
37236	Transcatheter placement of an intravascular stent(s) (except lower extremity, cervical carotid, extracranial vertebral or intrathoracic carotid, intracranial, or coronary), open or percutaneous, including radiological supervision and interpretation and including all angioplasty within the same vessel, when performed; initial artery	8.75	4.38	12.93	6.47
37237	Transcatheter placement of an intravascular stent(s) (except lower extremity, cervical carotid, extracranial vertebral or intrathoracic carotid, intracranial, or coronary), open or percutaneous, including radiological supervision and interpretation and including all angioplasty within the same vessel, when performed; each additional artery (List separately in addition to code for primary procedure)	4.25	4.25	6.18	6.18
37237	Transcatheter placement of an intravascular stent(s) (except lower extremity, cervical carotid, extracranial vertebral or intrathoracic carotid, intracranial, or coronary), open or percutaneous, including radiological supervision and interpretation and including all angioplasty within the same vessel, when performed; each additional artery (List separately in addition to code for primary procedure)	4.25	4.25	6.18	6.18
37237	Transcatheter placement of an intravascular stent(s) (except lower extremity, cervical carotid, extracranial vertebral or intrathoracic carotid, intracranial, or coronary), open or percutaneous, including radiological supervision and interpretation and including all angioplasty within the same vessel, when performed; each additional artery (List separately in addition to code for primary procedure)	4.25	4.25	6.18	6.18
TOTAL		44.73		66.76	

34845	<i>Endovascular repair of visceral aorta and infrarenal abdominal aorta (eg, aneurysm, pseudoaneurysm, dissection, penetrating ulcer, intramural hematoma, or traumatic disruption) by deployment of a fenestrated visceral aortic endograft and all associated radiological supervision and interpretation, including target zone angioplasty, when performed; including one visceral artery endoprosthesis (superior mesenteric, celiac or renal artery)</i>				
34705	Endovascular repair of infrarenal aorta and/or iliac artery(ies) by deployment of an aorto-bi-iliac endograft including pre-procedure sizing and device selection, all nonselective catheterization(s), all associated radiological supervision and interpretation, all endograft extension(s) placed in the aorta from the level of the renal arteries to the iliac bifurcation, and all angioplasty/stenting performed from the level of the renal arteries to the iliac bifurcation; for other than rupture (eg, for aneurysm, pseudoaneurysm, dissection, penetrating ulcer)	29.58	29.58	44.53	44.53
Blend	Visceral segment (34710 & 33886)	16.55	8.28	25.53	12.77
Blend	Blend of TEVAR S&I (75959/2)	1.75	1.75	2.45	2.45
36245	Selective catheter placement, arterial system; each first order abdominal, pelvic, or lower extremity artery branch, within a vascular family	4.65	2.33	6.89	3.45

37236	Transcatheter placement of an intravascular stent(s) (except lower extremity, cervical carotid, extracranial vertebral or intrathoracic carotid, intracranial, or coronary), open or percutaneous, including radiological supervision and interpretation and including all angioplasty within the same vessel, when performed; initial artery	8.75	4.38	12.93	6.47
TOTAL		46.31		69.65	

34846 <i>Endovascular repair of visceral aorta and infrarenal abdominal aorta (eg, aneurysm, pseudoaneurysm, dissection, penetrating ulcer, intramural hematoma, or traumatic disruption) by deployment of a fenestrated visceral aortic endograft and all associated radiological supervision and interpretation, including target zone angioplasty, when performed; including two visceral artery endoprostheses (superior mesenteric, celiac or renal artery)</i>					
34705	Endovascular repair of infrarenal aorta and/or iliac artery(ies) by deployment of an aorto-bi-iliac endograft including pre-procedure sizing and device selection, all nonselective catheterization(s), all associated radiological supervision and interpretation, all endograft extension(s) placed in the aorta from the level of the renal arteries to the iliac bifurcation, and all angioplasty/stenting performed from the level of the renal arteries to the iliac bifurcation; for other than rupture (eg, for aneurysm, pseudoaneurysm, dissection, penetrating ulcer)	29.58	29.58	44.53	44.53
Blend	Visceral segment (34710 & 33886)	16.55	8.28	25.53	12.77
Blend	Blend of TEVAR S&I (75959/2)	1.75	1.75	2.45	2.45
36245	Selective catheter placement, arterial system; each first order abdominal, pelvic, or lower extremity artery branch, within a vascular family	4.65	2.33	6.89	3.45
36245	Selective catheter placement, arterial system; each first order abdominal, pelvic, or lower extremity artery branch, within a vascular family	4.65	2.33	6.89	3.45
37236	Transcatheter placement of an intravascular stent(s) (except lower extremity, cervical carotid, extracranial vertebral or intrathoracic carotid, intracranial, or coronary), open or percutaneous, including radiological supervision and interpretation and including all angioplasty within the same vessel, when performed; initial artery	8.75	4.38	12.93	6.47
37237	Transcatheter placement of an intravascular stent(s) (except lower extremity, cervical carotid, extracranial vertebral or intrathoracic carotid, intracranial, or coronary), open or percutaneous, including radiological supervision and interpretation and including all angioplasty within the same vessel, when performed; each additional artery (List separately in addition to code for primary procedure)	4.25	4.25	6.18	6.18
TOTAL		52.88		79.28	

34847 <i>Endovascular repair of visceral aorta and infrarenal abdominal aorta (eg, aneurysm, pseudoaneurysm, dissection, penetrating ulcer, intramural hematoma, or traumatic disruption) by deployment of a fenestrated visceral aortic endograft and all associated radiological supervision and interpretation, including target zone angioplasty, when performed; including three visceral artery endoprostheses (superior mesenteric, celiac or renal artery)</i>					
---	--	--	--	--	--

34705	Endovascular repair of infrarenal aorta and/or iliac artery(ies) by deployment of an aorto-bi-iliac endograft including pre-procedure sizing and device selection, all nonselective catheterization(s), all associated radiological supervision and interpretation, all endograft extension(s) placed in the aorta from the level of the renal arteries to the iliac bifurcation, and all angioplasty/stenting performed from the level of the renal arteries to the iliac bifurcation; for other than rupture (eg, for aneurysm, pseudoaneurysm, dissection, penetrating ulcer)	29.58	29.58	44.53	44.53
Blend	Visceral segment (34710 & 33886)	16.55	8.28	25.53	12.77
Blend	Blend of TEVAR S&I (75959/2)	1.75	1.75	2.45	2.45
36245	Selective catheter placement, arterial system; each first order abdominal, pelvic, or lower extremity artery branch, within a vascular family	4.65	2.33	6.89	3.45
36245	Selective catheter placement, arterial system; each first order abdominal, pelvic, or lower extremity artery branch, within a vascular family	4.65	2.33	6.89	3.45
36245	Selective catheter placement, arterial system; each first order abdominal, pelvic, or lower extremity artery branch, within a vascular family	4.65	2.33	6.89	3.45
37236	Transcatheter placement of an intravascular stent(s) (except lower extremity, cervical carotid, extracranial vertebral or intrathoracic carotid, intracranial, or coronary), open or percutaneous, including radiological supervision and interpretation and including all angioplasty within the same vessel, when performed; initial artery	8.75	4.38	12.93	6.47
37237	Transcatheter placement of an intravascular stent(s) (except lower extremity, cervical carotid, extracranial vertebral or intrathoracic carotid, intracranial, or coronary), open or percutaneous, including radiological supervision and interpretation and including all angioplasty within the same vessel, when performed; each additional artery (List separately in addition to code for primary procedure)	4.25	4.25	6.18	6.18
37237	Transcatheter placement of an intravascular stent(s) (except lower extremity, cervical carotid, extracranial vertebral or intrathoracic carotid, intracranial, or coronary), open or percutaneous, including radiological supervision and interpretation and including all angioplasty within the same vessel, when performed; each additional artery (List separately in addition to code for primary procedure)	4.25	4.25	6.18	6.18
TOTAL		59.46		88.90	

34848	<i>Endovascular repair of visceral aorta and infrarenal abdominal aorta (eg, aneurysm, pseudoaneurysm, dissection, penetrating ulcer, intramural hematoma, or traumatic disruption) by deployment of a fenestrated visceral aortic endograft and all associated radiological supervision and interpretation, including target zone angioplasty, when performed; including four or more visceral artery endoprostheses (superior mesenteric, celiac or renal artery)</i>				
34705	Endovascular repair of infrarenal aorta and/or iliac artery(ies) by deployment of an aorto-bi-iliac endograft including pre-procedure sizing and device selection, all nonselective catheterization(s), all associated radiological supervision and interpretation, all endograft extension(s) placed in the aorta from the level of the renal arteries to the iliac bifurcation, and all angioplasty/stenting performed from the level of the renal arteries to the iliac bifurcation; for other than rupture (eg, for aneurysm, pseudoaneurysm, dissection, penetrating ulcer)	29.58	29.58	44.53	44.53

Blend	Visceral segment (34710 & 33886)	16.55	8.28	25.53	12.77
Blend	Blend of TEVAR S&I (75959/2)	1.75	1.75	2.45	2.45
36245	Selective catheter placement, arterial system; each first order abdominal, pelvic, or lower extremity artery branch, within a vascular family	4.65	2.33	6.89	3.45
36245	Selective catheter placement, arterial system; each first order abdominal, pelvic, or lower extremity artery branch, within a vascular family	4.65	2.33	6.89	3.45
36245	Selective catheter placement, arterial system; each first order abdominal, pelvic, or lower extremity artery branch, within a vascular family	4.65	2.33	6.89	3.45
36245	Selective catheter placement, arterial system; each first order abdominal, pelvic, or lower extremity artery branch, within a vascular family	4.65	2.33	6.89	3.45
37236	Transcatheter placement of an intravascular stent(s) (except lower extremity, cervical carotid, extracranial vertebral or intrathoracic carotid, intracranial, or coronary), open or percutaneous, including radiological supervision and interpretation and including all angioplasty within the same vessel, when performed; initial artery	8.75	4.38	12.93	6.47
37237	Transcatheter placement of an intravascular stent(s) (except lower extremity, cervical carotid, extracranial vertebral or intrathoracic carotid, intracranial, or coronary), open or percutaneous, including radiological supervision and interpretation and including all angioplasty within the same vessel, when performed; each additional artery (List separately in addition to code for primary procedure)	4.25	4.25	6.18	6.18
37237	Transcatheter placement of an intravascular stent(s) (except lower extremity, cervical carotid, extracranial vertebral or intrathoracic carotid, intracranial, or coronary), open or percutaneous, including radiological supervision and interpretation and including all angioplasty within the same vessel, when performed; each additional artery (List separately in addition to code for primary procedure)	4.25	4.25	6.18	6.18
37237	Transcatheter placement of an intravascular stent(s) (except lower extremity, cervical carotid, extracranial vertebral or intrathoracic carotid, intracranial, or coronary), open or percutaneous, including radiological supervision and interpretation and including all angioplasty within the same vessel, when performed; each additional artery (List separately in addition to code for primary procedure)	4.25	4.25	6.18	6.18
TOTAL		66.03		98.53	

LEGEND

Codes	Blend (34710 and 33886)	34705	36245	37236	37237
2020wRV		16.55	29.58	4.65	8.75
2020tRVL		25.53	44.53	6.89	12.93

75959

3.50

4.89